

Cast Iron Pipe – ASA Standard

| Pipe size | Pipe O.D | Class 50 | | Class 100 | | Class 150 | | Class 200 | | Class 250 | | Class 300 | | Class 350 | |
|-----------|----------|----------|-------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|-----------|-------|
| | | WALL | I.D | WALL | I.D | WALL | I.D | WALL | I.D | WALL | I.D | WALL | I.D | WALL | I.D |
| 3 | 3.96 | 0.32 | 3.32 | 0.32 | 3.32 | 0.32 | 3.32 | 0.32 | 3.32 | 0.32 | 5.14 | 0.32 | 3.32 | 0.32 | 3.32 |
| 4 | 4.80 | 0.35 | 4.10 | 0.35 | 4.10 | 0.35 | 4.10 | 0.35 | 4.10 | 0.35 | 4.10 | 0.35 | 4.10 | 0.35 | 4.10 |
| 6 | 6.90 | 0.38 | 6.14 | 0.38 | 6.14 | 0.38 | 6.14 | 0.38 | 6.14 | 0.38 | 6.14 | 0.38 | 6.14 | 0.38 | 6.14 |
| 8 | 9.05 | 0.41 | 8.23 | 0.41 | 8.23 | 0.41 | 8.23 | 0.41 | 8.23 | 0.41 | 8.23 | 0.41 | 8.23 | 0.41 | 8.23 |
| 10 | 11.10 | 0.44 | 10.22 | 0.44 | 10.22 | 0.44 | 10.22 | 0.44 | 10.22 | 0.44 | 10.22 | 0.48 | 10.14 | 0.52 | 10.06 |
| 12 | 13.20 | 0.48 | 12.24 | 0.48 | 12.24 | 0.48 | 12.24 | 0.48 | 12.24 | 0.52 | 12.16 | 0.52 | 12.15 | 0.56 | 12.08 |
| 14 | 15.30 | 0.51 | 14.34 | 0.51 | 14.28 | 0.51 | 14.28 | 0.55 | 14.20 | 0.59 | 14.12 | 0.59 | 14.12 | 0.64 | 14.02 |
| 16 | 17.40 | 0.54 | 16.32 | 0.54 | 16.32 | 0.54 | 16.32 | 0.58 | 16.24 | 0.63 | 16.14 | 0.68 | 16.04 | 0.68 | 16.04 |
| 18 | 19.50 | 0.58 | 18.42 | 0.58 | 18.34 | 0.58 | 18.34 | 0.63 | 18.24 | 0.68 | 18.14 | 0.73 | 18.04 | 0.79 | 17.92 |
| 20 | 21.60 | 0.62 | 20.46 | 0.62 | 20.36 | 0.62 | 20.36 | 0.67 | 20.26 | 0.72 | 20.16 | 0.78 | 20.04 | 0.84 | 19.92 |
| 24 | 25.80 | 0.68 | 24.54 | 0.68 | 24.44 | 0.73 | 24.34 | 0.79 | 24.22 | 0.79 | 24.22 | 0.85 | 24.10 | 0.92 | 23.96 |